


PLAN VIEW




TRANSFORMER WEIGHT & VOLUME		
CORE AND WINDING	kg	1070
TANK AND FITTING	kg	885
COOLING LIQUID VOLUME	L	726
COOLING LIQUID WEIGHT	kg	704
TOTAL TX WEIGHT	kg	2659



ESSENTIAL LABELS

- ITEM 7: TAP CHANGER WARNING LABEL (OFF-CIRCUIT TAP CHANGER, NO OPEN CIRCUIT TAP)
- ITEM 4: COLD COOLANT LEVEL (-C.O.L. 15°C)
- LV WARNING LABEL
- HV WARNING LABEL




500kVA		ELECTRICAL RATINGS			
No Load Voltage Ratio at Normal Tap	HV Tappings	Vector Group	Frequency	Full-Load Current at Normal Tap	
				HV Side	LV Side
11000-6600 / 433V	+5 to -5.0% in 2.5% INCREMENTS	Dyn11	50Hz	26.24 - 43.74A	666.69A
Design Impedance at Normal Tap	No Load Losses at rated Voltage & Frequency	Full Load Losses at rated Current & at 75°C Temp.	Temp. Rise above Ambient 40°C		
			in Oil by Therm.	in Wdg. by Res.	
4.75%	527W	4290W	60°C	65°C	

GENERAL NOTES

- ALL DIMENSIONS ARE IN 'mm'.
- ALL DIMENSIONS/WEIGHTS ARE SUBJECT TO ± 10% TOLERANCE.
- ELECTRONIC SCALE - 1:1 (ONLY WRITTEN DIMENSIONS TO BE FOLLOWED).
- TOLERANCE ON IMPEDANCE PER IEC:60076.
- PAINT SHADE.: RAL7033 TO ISO12944 - MIN C4 SPEC.

ITEM	QTY	DESCRIPTION
12	1	VOLTAGE CHANGE OVER SWITCH
5	1	DE-ENERGIZE TAP CHANGER (5-Position & Padlockable)
14	4	TRANSFORMER LIFTING LUGS
3	1	OIL LEVEL GAUGE (with 15°) COLD OIL LEVEL MARK
4	1	THERMOMETER POCKET (3/4" BSP MALE THREAD)
8	1	DRAIN VALVE (25NB) with MALE PLUG
7	4	JACKING PADS
6	1	RATING & DIAGRAM PLATE (SS)
10	1	TOP COVER with LIFTING LUGS (x2)
9	1	OIL FILLING PIPE WITH FLANGED COVER
2	1	EARTHING TERMINAL (FLAT TYPE suitable for M12 Bolt)
1	1	TRANSFORMER BASE (SKID TYPE) c/w HAULAGE HOLES



REV	REV BY	VERIFIED	APPROVED	DESCRIPTION

REVISION DESCRIPTION	REV	PROJECT
ORIGINAL	00	-

REV. BY:	DATE:	PROJECT:
J. NOVO	14-OCT-2022	-

CUSTOMER:	S.O. NUMBER:	P.O. NUMBER:	W.O. NUMBER:
-	-	-	-

DRAWING TITLE
GENERAL ARRANGEMENT DRAWING FOR d2, 500kVA 11000-6600/433V, 50Hz, Dyn11, KNAN AL WOUND UNIT TYPE TRANSFORMER

SUPPLIED BY: **Wilson Power Solutions Ltd.**
 Westland Square, Leeds, West Yorkshire LS11 5SS, United Kingdom
 Tel: +44 (0) 113 271 7588 Fax: +44 (0) 113 277 5124
 web: www.wilsonpowersolutions.co.uk email: info@wilsonpowersolutions.co.uk

web: www.wilsonpowersolutions.co.uk email: info@wilsonpowersolutions.co.uk

DRAWN BY: J. NOVO DATE: 14/10/2022 DRG NO: WPS-d2-UKPN-500-AL-DR-U001